Remote working

Logistics Field Based



# Maintenance The 4G two-way communication Retail Utilities watch for your safety!

Ideal for responding quickly and simply to a safety problem. Equip your employees with an ergonomic device incorporating the Emerit© alert application Emerit© designed for professionals exposed to risky situations: isolation - lone worker protection, remote working, dangerous areas (injury, discomfort, fall), verbal or physical aggression.

LOUDSPEAKER for doubt removal TRANSMISSION OF ALERTS GSM: 4G LTE Wifi: 2.4 GHz **EMERIT®** APPLICATION AUDIO native **COMMUNICATION** POST **VOLTE** VolP **EASY CHARGING** magnetic **HIGH BATTERY** CAPACITY **SOS ALERT** 950 mAh BUTTON protected **IP67 PROTECTION** standard CE **MICROPHONE** for audio communication LOCATION **GPS** Wifi Bluetooth

> Remote configuration via the secured web platform Emerit Services

## > Transmission of alarms

# e - WG200

### VIA GSM NETWORK with SIM card

### **4G VOICE & DATA**

All operators

- VolTE (5) calls
- SMS
- SIA DC-09 alarm protocol

# VIA WIFI NETWORK without SIM card

#### **WIFI VOICE & DATA**

2.4 GHz 802.11 b/g/n

- VoIP calls (via SIP accounts)
- Messages (via SIP accounts)
- SIA DC-09 alarm protocol

## > Location of alarms



### **OUTDOORS BY SATELLITE**

GSM Network needed to transmit the alarm containing GPS position



### **INDOORS VIA WIFI**

Via the existing network on site GSM or Wifi network required to transmit alarms containing indoor location



### **INDOORS VIA BLUETOOTH**

With the implementation of Bluetooth beacons GSM or Wifi network required to transmit alarms containing indoor location



Norsafe WE PROTECT

### > Bluetooth beacon

# THE CONFIGURATION OF YOUR PREMISES REQUIRES A CUSTOMISED INTERIOR LOCATION?

Thanks to the Bluetooth beacons, take advantage of a detailed and customizable indoor location according to the configuration of the site to be covered (floors, areas, corridors, etc.).



# e - WG200



Belt clip Smart-fix system



Neck Smart-fix system



Smart-fix system



Carabiner Smart-fix system



# > Key alarm Features

- SOS Alert Button
- No motion detection
- Tilt detection
- Fast wrist movements

#### **3 TYPES OF ALARM SCENARIO**

**4 WAYS TO TRIGGER ALARMS** 

- Internal: Call and SMS
- Out-source: calls & protocole IP SIA DC-09 (1)
- Supervised: dedicated supervisory protocole IP SIA DC-09 (1)

#### **3 LOCATION MODES**

- Satellites: out-door (2)
- Wifi: indoor (3)
- Bluetooth: indoor (3)

### **ADVANCED FEATURES**

- · Unlimited number of alert recipients on call and SMS
- Advanced setting of trigger modes (button-pressing mode, detection sensitivity, notification type and timeouts)
- Remote programmation via the secured web platform Emerit Services

# > Technical specification

| RADIO SET UP             |                                    |  |  |
|--------------------------|------------------------------------|--|--|
| 4G FDD-LTE               | B1/B2/B3/B7/B20/B28                |  |  |
| 4G FDD-LTE               | B38 / B39 / B40 / B41 (100MHz)     |  |  |
| Wifi 4                   | 2.4 GHz 802.11 b/g/n               |  |  |
| Bluetooth                | 5.0                                |  |  |
| Satellite location       | GPS / Beidou / Glonass             |  |  |
| A-GPS                    | Yes                                |  |  |
| MEMORY                   |                                    |  |  |
| RAM                      | 2 Go                               |  |  |
| ROM                      | 16 Go                              |  |  |
| SIM CARD                 |                                    |  |  |
| 1 slot                   | NanoSim                            |  |  |
| SPECIFIC ABSORPTION RATE |                                    |  |  |
| Head                     | 0.238 W/Kg - limit 2.0 W/kg (10 g) |  |  |
| Trunk / Limbs            | 0.555 W/Kg - limit 4,0W/kg (10g)   |  |  |

| OTHER FEATURES       |                                     |
|----------------------|-------------------------------------|
| Processor            | Arm Cortex-A55 1.5 GHz              |
| Battery              | 950 mAh lithium-ion polymer         |
| Screen               | 1.22" IPS couleur                   |
| Connectivity         | USB-C / magnetic 4 pin              |
| Operating system     | Android 13                          |
| Weight               | 60g including wristband and battery |
| Dimensions           | 58 x 42 x 16 mm                     |
| Dust water/tightness | IP67 (4) / standard CE              |
| Vibrator             | Yes                                 |
| Micro and louspeaker | Yes                                 |
| Using temperatures   | Between -20°C and +50°C             |
| Buttons              | Front SOS button / POWER button     |
|                      | + 2 side function buttons           |
| Audio communication  | VoLTE (5) / Wifi VoIP               |
|                      |                                     |

Distributed by:

Content: Watch with black silicone strap + USB-C charging station

Dimensions: 79 (Length) x 55 (Width) x 75 (Height) mm

Total weight: 156 g Volume: 325.88 cm3

### Other accessories available:

- Chargeur USB-C
- Black nylon strap
- Smart-fix belt clip system
- Smart-fix neckband system
- Bluetooth beacons for indoor geolocation
- Smart-fix armband system
- Smart-fix carabiner hook system
- Belt clip



### Product information:

| Reference     | Designation            | EAN code      | HS code    | Origin |
|---------------|------------------------|---------------|------------|--------|
| e-WG200       | 4G safety watch        | 3700938300117 | 8517629900 | China  |
| e-WG200.CDSUC | USB-C charging station | 3700938300179 | 8536699000 | China  |
| e-WX.UWC      | USB-C 5V 1A charger    | 3700938300186 | 3926901000 | China  |



(2) GPS: depending on the position of the device in a vehicle and/or on the user, weather conditions and urban density,

the position may not be up to date at the time of the alert or may be inaccurate by several hundred metres. (3) Wiffi accuracy dependent on the customer's Wiffi infrastructure.

Bluetooth: accuracy depends on the number of beacons installed and their positioning.

(4) According to the IEC 60529 standard: fully protected against dust / protected against immersion for 30 min to a depth of 1 m.

Resistance to splashes, water and dust is not a permanent condition.

It may diminish as a result of normal wear and tear and depending on how the device is maintained. Damage caused by liquids is not covered by the warranty (5) The subscription attached to the SIM care must have the VoLTE (voice over 4G) option to authorise incoming/outgoing calls in 4G. \*2-year warranty, extendable to 3 years.



